

Product datasheet for **SR318595**

OR2J3 Human siRNA Oligo Duplex (Locus ID 442186)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_001005216
UniProt ID:	O76001
Synonyms:	6M1-3; C3HEXS; HS6M1-3; OR6-6; OR6-16; OR6.3.6; ORL671
Components:	OR2J3 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 442186) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes a G-protein-coupled receptor (GPCR) that functions as an olfactory receptor. Olfactory receptors interact with odorant molecules in the nose to initiate a neuronal response that triggers the perception of a smell. The protein encoded by this gene responds to cis-3-hexen-1-ol, which is released by wounded plants, including cut grass. This gene is situated in a cluster of similar olfactory-receptor coding genes on chromosome 6. [provided by RefSeq, May 2013]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).