

Product datasheet for **SR319030**

FRMPD2B Human siRNA Oligo Duplex (Locus ID 728798)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<u>NM_001042524</u> , <u>NM_001042525</u> , <u>NR_033172</u>
Synonyms:	FERM and PDZ domain containing 2 like 1; FLJ78870; FRMPD2 related 1; OTTHUMP00000019539; PDZD5A; PDZ domain containing 5A; PDZK5A; yX59F3.2
Components:	FRMPD2B (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 728798) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene represents a pseudogene of the FERM and PDZ domain containing 2 gene (FRMPD2, GeneID 143162). Along with the functional gene, this gene is located in a region of segmental duplication on chromosome 10q. [provided by RefSeq, Dec 2014]
Performance Guaranteed:	OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).



[View online »](#)