

Product datasheet for SR324147

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TIF1 gamma (TRIM33) Human siRNA Oligo Duplex (Locus ID 51592)

Product data:

Product Type: siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

Stability: One year from date of shipment when stored at -20°C.

of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

Note: Single siRNA duplex (10nmol) can be ordered.

RefSeq: <u>NM 015906</u>, <u>NM 033020</u>

UniProt ID: Q9UPN9

Synonyms: ECTO; PTC7; RFG7; TF1G; TIF1GAMMA; TIFGAMMA

Components: TRIM33 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 51592)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

Summary: The protein encoded by this gene is thought to be a transcriptional corepressor. However,

molecules that interact with this protein have not yet been identified. The protein is a

member of the tripartite motif family. This motif includes three zinc-binding domains, a RING,

a B-box type 1 and a B-box type 2, and a coiled-coil region. Three alternatively spliced

transcript variants for this gene have been described, however, the full-length nature of one

variant has not been determined. [provided by RefSeq, Jul 2008]





Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).