

Product datasheet for **SR325154**

PRRT1 Human siRNA Oligo Duplex (Locus ID 80863)

Product data:

| | |
|---------------------|---|
| Product Type: | siRNA Oligo Duplexes |
| Purity: | HPLC purified |
| Quality Control: | Tested by ESI-MS |
| Sequences: | Available with shipment |
| Stability: | One year from date of shipment when stored at -20°C. |
| # of transfections: | Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM). |
| Note: | Single siRNA duplex (10nmol) can be ordered. |
| RefSeq: | NM_030651 , NM_001363780 |
| UniProt ID: | Q99946 |
| Synonyms: | C6orf31; DSPD1; IFITMD7; NG5 |
| Components: | PRRT1 (Human) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 80863) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml |
| Summary: | Required to maintain a pool of extrasynaptic AMPA-regulated glutamate receptors (AMPA) which is necessary for synapse development and function. Regulates basal AMPAR function and synaptic transmission during development but is dispensable at mature hippocampal synapses. Plays a role in regulating basal phosphorylation levels of glutamate receptor GRIA1 and promotes GRIA1 and GRIA2 cell surface expression.[UniProtKB/Swiss-Prot Function] |



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).