

Product datasheet for **SR403104**

Mcpt4 Mouse siRNA Oligo Duplex (Locus ID 17227)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<u>NM_010779</u>
UniProt ID:	<u>P21812</u>
Synonyms:	Mcp-4; Mcp4; MMCP-4; MMCP-4A; MMCP-4B
Components:	Mcpt4 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 17227) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	Has chymotrypsin-like activity. Hydrolyzes the amide bonds of synthetic substrates having Tyr and Phe residues at the P1 position. Preferentially hydrolyzes the 'Tyr-4- -Ile-5' bond of angiotensin I and the 'Phe-20- -Ala-21' bond of amyloid beta-protein, and is less active towards the 'Phe-8- -His-9' bond of angiotensin I and the 'Phe-4- -Ala-5' and 'Tyr-10- -Glu-11' bonds of amyloid beta-protein. Involved in thrombin regulation and fibronectin processing. [UniProtKB/Swiss-Prot Function]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).