

Product datasheet for **SR404038**

Emp2 Mouse siRNA Oligo Duplex (Locus ID 13731)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_007929
UniProt ID:	O88662
Synonyms:	XMP
Components:	Emp2 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 13731) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml



[View online »](#)

Summary:

Functions as a key regulator of cell membrane composition by regulating proteins surface expression. Also, plays a role in regulation of processes including cell migration, cell proliferation, cell contraction and cell adhesion. Negatively regulates caveolae formation by reducing CAV1 expression and CAV1 amount by increasing lysosomal degradation (PubMed:17609206, PubMed:14978215). Facilitates surface trafficking and the formation of lipid rafts bearing GPI-anchor proteins (PubMed:14978215). Regulates surface expression of MHC1 and ICAM1 proteins increasing susceptibility to T-cell mediated cytotoxicity (PubMed:12763482). Regulates the plasma membrane expression of the integrin heterodimers ITGA6-ITGB1, ITGA5-ITGB3 and ITGA5-ITGB1 resulting in modulation of cell-matrix adhesion (PubMed:12189152). Also regulates many processes through PTK2. Regulates blood vessel endothelial cell migration and angiogenesis by regulating VEGF protein expression through PTK2 activation (By similarity). Regulates cell migration and cell contraction through PTK2 and SRC activation (By similarity). Regulates focal adhesion density, F-actin conformation and cell adhesion capacity through interaction with PTK2 (By similarity). Positively regulates cell proliferation (By similarity). Plays a role during cell death and cell blebbing (By similarity). Promotes angiogenesis and vasculogenesis through induction of VEGFA via a HIF1A-dependent pathway (By similarity). Also plays a role in embryo implantation by regulating surface trafficking of integrin heterodimer ITGA5-ITGB3 (PubMed:16487956, PubMed:16216233). May play a role in glomerular filtration (By similarity).[UniProtKB/Swiss-Prot Function]

Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).