

Product datasheet for SR404893

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Csrp3 Mouse siRNA Oligo Duplex (Locus ID 13009)

Product data:

Product Type: siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

Stability: One year from date of shipment when stored at -20°C.

of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

Note: Single siRNA duplex (10nmol) can be ordered.

RefSeq: <u>NM 001198841</u>, <u>NM 013808</u>

UniProt ID: P50462

Synonyms: CRP3; MLP; MMLP

Components: Csrp3 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 13009)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

Summary: Positive regulator of myogenesis. Acts as cofactor for myogenic bHLH transcription factors

such as MYOD1, and probably MYOG and MYF6. Enhances the DNA-binding activity of the MYOD1:TCF3 isoform E47 complex and may promote formation of a functional MYOD1:TCF3 isoform E47:MEF2A complex involved in myogenesis (By similarity). Plays a crucial and

specific role in the organization of cytosolic structures in cardiomyocytes. Could play a role in

mechanical stretch sensing. May be a scaffold protein that promotes the assembly of

interacting proteins at Z-line structures. It is essential for calcineurin anchorage to the Z line.

Required for stress-induced calcineurin-NFAT activation (PubMed:9039266,

PubMed:15665106). The role in regulation of cytoskeleton dynamics by association with CFL2 is reported conflictingly. Proposed to contribute to the maintenance of muscle cell integerity through an actin-based mechanism. Can directly bind to actin filaments, cross-link actin filaments into bundles without polarity selectivity and protect them from dilution- and cofilinmediated depolymerization; the function seems to involve its self-association (By similarity). In vitro can inhibit PKC/PRKCA activity. Proposed to be involved in cardiac stress signaling by down-regulating excessive PKC/PRKCA signaling (PubMed:27353086).[UniProtKB/Swiss-Prot

Function]





Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).