

## **Product datasheet for SR405178**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Cd200r3 Mouse siRNA Oligo Duplex (Locus ID 74603)

**Product data:** 

**Product Type:** siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

**Stability:** One year from date of shipment when stored at -20°C.

# of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

**Note:** Single siRNA duplex (10nmol) can be ordered.

RefSeq: <u>NM 001128132</u>, <u>NM 001128133</u>, <u>NM 027578</u>, <u>NM 029018</u>

UniProt ID: Q5UKY4

**Synonyms:** 4733401l18Rik; 4833409J19Rik; Al505817; BB106877; mCD200RLb

Components: Cd200r3 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 74603)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

**Summary:** According to PubMed:15187158 isoform 4 is a receptor for the CD200 cell surface

glycoprotein. According to PubMed:16081818 isoform 4 is not a receptor for the CD200/OX2 cell surface glycoprotein. Isoform 1, isoform 2 and isoform 3 are involved in the recruitment or surface expression of the TYROBP receptor. Isoform 6, isoform 7 and isoform 8 are not involved in the recruitment or surface expression of the TYROBP receptor. [UniProtKB/Swiss-

Prot Function]







## Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).