

Product datasheet for SR405748

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Ran Mouse siRNA Oligo Duplex (Locus ID 19384)

Product data:

UniProt ID:

Product Type: siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

Stability: One year from date of shipment when stored at -20°C.

of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

P62827

Note: Single siRNA duplex (10nmol) can be ordered.

RefSeq: <u>NM 009391</u>

Components: Ran (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 19384)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

Summary: GTPase involved in nucleocytoplasmic transport, participating both to the import and the

export from the nucleus of proteins and RNAs. Switches between a cytoplasmic GDP- and a

nuclear GTP-bound state by nucleotide exchange and GTP hydrolysis. Nuclear import

receptors such as importin beta bind their substrates only in the absence of GTP-bound RAN

and release them upon direct interaction with GTP-bound RAN, while export receptors behave in the opposite way. Thereby, RAN controls cargo loading and release by transport

receptors in the proper compartment and ensures the directionality of the transport.

Interaction with RANBP1 induces a conformation change in the complex formed by XPO1 and

RAN that triggers the release of the nuclear export signal of cargo proteins. RAN (GTP-bound form) triggers microtubule assembly at mitotic chromosomes and is required for normal

mitotic spindle assembly and chromosome segregation. Required for normal progress

through mitosis. The complex with BIRC5/survivin plays a role in mitotic spindle formation by serving as a physical scaffold to help deliver the RAN effector molecule TPX2 to microtubules.

Acts as a negative regulator of the kinase activity of VRK1 and VRK2. Enhances AR-mediated

transactivation.[UniProtKB/Swiss-Prot Function]







Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).