

## Product datasheet for **SR405790**

### Metap1d Mouse siRNA Oligo Duplex (Locus ID 66559)

#### Product data:

|                         |   |
|-------------------------|---|
| Product Type:           | siRNA Oligo Duplexes  |
| Purity:                 | HPLC purified   |
| Quality Control:        | Tested by ESI-MS  |
| Sequences:              | Available with shipment   |
| Stability:              | One year from date of shipment when stored at -20°C.  |
| # of transfections:     | Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).  |
| Note:                   | Single siRNA duplex (10nmol) can be ordered.  |
| RefSeq:                 | <a href="#">NM_025633</a>   |
| UniProt ID:             | <a href="#">Q9CPW9</a>  |
| Synonyms:               | 2310066F24Rik; 3110033D18Rik; AV117938; MAP 1D; Map1d; MetAP 1D; Metap1   |
| Components:             | Metap1d (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 66559)<br>Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol<br>Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml   |
| Summary:                | Removes the N-terminal methionine from nascent proteins. The N-terminal methionine is often cleaved when the second residue in the primary sequence is small and uncharged (Met-Ala-, Cys, Gly, Pro, Ser, Thr, or Val). Requires deformylation of the N(alpha)-formylated initiator methionine before it can be hydrolyzed.[UniProtKB/Swiss-Prot Function]  |
| Performance Guaranteed: | OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency. |

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).



[View online »](#)