

## Product datasheet for SR407161

## Mbd3 Mouse siRNA Oligo Duplex (Locus ID 17192)

## **Product data:**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<u>NM 013595</u>
UniProt ID:	<u>Q9Z2D8</u>
Synonyms:	AI181826; AU019209
Components:	Mbd3 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 17192) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes a member of the MBD family of nuclear proteins that contain a methyl- CpG binding domain (MBD). The encoded protein is a component of the nucleosome remodeling and histone deacetylation (NuRD) complex. Deletion of this gene causes embryonic lethality in mice. Embryonic stem cells lacking the encoded protein are severely compromised in their ability to differentiate and fail to commit to developmental lineages in the absence of leukemia inhibitory factor. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Apr 2015]



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Mbd3 Mouse siRNA Oligo Duplex (Locus ID 17192) – SR407161
Performance Guaranteed:	OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.
	For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US