

## Product datasheet for **SR408149**

### Pip4p1 Mouse siRNA Oligo Duplex (Locus ID 219024)

#### Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<a href="#">NM_001033271</a> , <a href="#">NM_001310505</a> , <a href="#">NM_001310506</a> , <a href="#">NM_001310507</a>
UniProt ID:	<a href="#">Q3TWL2</a>
Synonyms:	BC039161; Pip4p1
Components:	Tmem55b (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 219024) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	Catalyzes the hydrolysis of phosphatidylinositol-4,5-bisphosphate (PtdIns-4,5-P2) to phosphatidylinositol-4-phosphate (PtdIns-4-P) (By similarity). Does not hydrolyze phosphatidylinositol 3,4,5-trisphosphate, phosphatidylinositol 3,4-bisphosphate, inositol 3,5-bisphosphate, inositol 3,4-bisphosphate, phosphatidylinositol 5-monophosphate, phosphatidylinositol 4-monophosphate and phosphatidylinositol 3-monophosphate (By similarity). Regulates lysosomal positioning by recruiting JIP4 to lysosomal membranes, thus inducing retrograde transport of lysosomes along microtubules (By similarity). Contributes to assembly of the V-ATPase complex in lipid rafts of the lysosomal membrane and to subsequent amino acid-dependent activation of mTORC1 (PubMed:29644770). May play a role in the regulation of cellular cholesterol metabolism (By similarity).[UniProtKB/Swiss-Prot Function]


[View online »](#)

**Performance  
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).