

Product datasheet for SR412447

Sstr2 Mouse siRNA Oligo Duplex (Locus ID 20606)

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<u>NM 001042606, NM 009217</u>
UniProt ID:	<u>P30875</u>
Synonyms:	Smstr-2; Smstr2; SRIF-1; SS2R; sst2; SSTR-2
Components:	Sstr2 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 20606) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	The protein encoded by this gene is a receptor for somatostatin, which acts at many sites to inhibit the release of several hormones and other secretory proteins. The encoded protein is a member of the superfamily of receptors having seven transmembrane segments and is involved in many processes, including adenylyl cyclase inhibition, phosphotyrosine phosphatase stimulation, and inhibition of calcium entry and cell growth. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2015]



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Sstr2 Mouse siRNA Oligo Duplex (Locus ID 20606) – SR412447
Performance Guaranteed:	OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.
	For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US