

## **Product datasheet for SR412573**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Rbbp5 Mouse siRNA Oligo Duplex (Locus ID 213464)

#### **Product data:**

**Product Type:** siRNA Oligo Duplexes

Purity: HPLC purified

**Quality Control:** Tested by ESI-MS

Sequences: Available with shipment

Stability: One year from date of shipment when stored at -20°C.

# of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

 Note:
 Single siRNA duplex (10nmol) can be ordered.

 RefSeq:
 NM 172517, NM 001357486, NM 001357487

UniProt ID: Q8BX09

**Synonyms:** 4933411J24Rik; C330016J05

Components: Rbbp5 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 213464)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

**Summary:** As part of the MLL1/MLL complex, involved in mono-, di- and trimethylation at 'Lys-4' of

histone H3. Histone H3 'Lys-4' methylation represents a specific tag for epigenetic transcriptional activation. In embryonic stem (ES) cells, plays a crucial role in the

differentiation potential, particularly along the neural lineage, regulating gene induction and H3 'Lys-4' methylation at key developmental loci, including that mediated by retinoic acid.

Does not affect ES cell self-renewal.[UniProtKB/Swiss-Prot Function]





# Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).