

## Product datasheet for **SR413277**

### Cipc Mouse siRNA Oligo Duplex (Locus ID 217732)

#### Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<a href="#">NM_001289429</a> , <a href="#">NM_001289430</a> , <a href="#">NM_001289431</a> , <a href="#">NM_001289432</a> , <a href="#">NM_173735</a> , <a href="#">NR_033623</a> , <a href="#">NM_001364274</a>
UniProt ID:	<a href="#">Q8R0W1</a>
Synonyms:	2310044G17Rik; AI842544; AI853744; Kiaa1737; mKIAA1737
Components:	Cipc (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 217732) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	Transcriptional repressor which may act as a negative-feedback regulator of CLOCK-ARNTL/BMAL1 transcriptional activity in the circadian-clock mechanism. May stimulate ARNTL/BMAL1-dependent phosphorylation of CLOCK (PubMed:17310242, PubMed:19414601). However, the physiological relevance of these observations is unsure, since experiments in knockout mice showed that CIPC is not critically required for basic circadian clock (PubMed:25862660).[UniProtKB/Swiss-Prot Function]



[View online »](#)

**Performance  
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).