

## **Product datasheet for SR413507**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Snx6 Mouse siRNA Oligo Duplex (Locus ID 72183)

**Product data:** 

**Product Type:** siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

**Stability:** One year from date of shipment when stored at -20°C.

# of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

**Note:** Single siRNA duplex (10nmol) can be ordered.

 RefSeq:
 NM 026998

UniProt ID: Q6P8X1

**Synonyms:** 2010006G21Rik; 2610032J07Rik; 2810425K19Rik; AU018928; C85963

Components: Snx6 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 72183)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

**Summary:** Involved in several stages of intracellular trafficking. Interacts with membranes

phosphatidylinositol 3,4-bisphosphate and/or phosphatidylinositol 4,5-bisphosphate (Probable). Acts in part as component of the retromer membrane-deforming SNX-BAR subcomplex. The SNX-BAR retromer mediates retrograde transport of cargo proteins from endosomes to the trans-Golgi network (TGN) and is involved in endosome-to-plasma membrane transport for cargo protein recycling. The SNX-BAR subcomplex functions to deform the donor membrane into a tubular profile called endosome-to-TGN transport carrier (ETC). Does not have in vitro vesicle-to-membrane remodeling activity (By similarity). Involved in retrograde endosome-to-TGN transport of lysosomal enzyme receptor IGF2R. May function as link between transport vesicles and dynactin. Negatively regulates retrograde transport of BACE1 from the cell surface to the trans-Golgi network. Involved in E-cadherin sorting and degradation; inhibits PIP5K1C-mediated E-cadherin degradation (By similarity). In association

with GIT1 involved in EGFR degradation (PubMed:18523162). Promotes lysosomal

degradation of CDKN1B (PubMed:20228253). May contribute to transcription regulation (By

similarity).[UniProtKB/Swiss-Prot Function]







## Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).