

## Product datasheet for **SR414324**

### Eno3 Mouse siRNA Oligo Duplex (Locus ID 13808)

#### Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<a href="#">NM_001136062</a> , <a href="#">NM_001276285</a> , <a href="#">NM_007933</a>
UniProt ID:	<a href="#">P21550</a>
Synonyms:	Eno; Eno-3; MSE
Components:	Eno3 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 13808) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes one of the three enolase isoenzymes found in vertebrates. Enolase is a dimeric enzyme that converts 2-phosphoglycerate to phosphoenolpyruvate as part of the glycolytic pathway. This isozyme is found in skeletal muscle where it is involved in muscle development and regeneration. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2013]



[View online »](#)

**Performance  
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).