

## **Product datasheet for SR415038**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Agbl4 Mouse siRNA Oligo Duplex (Locus ID 78933)

### **Product data:**

**Product Type:** siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

**Stability:** One year from date of shipment when stored at -20°C.

# of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

 Note:
 Single siRNA duplex (10nmol) can be ordered.

 RefSeq:
 NM 001048189, NM 001284190, NM 030231

UniProt ID: Q09LZ8

**Synonyms:** 4930578N11Rik; 4931433A01Rik

Components: Agbl4 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 78933)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

**Summary:** Metallocarboxypeptidase that mediates deglutamylation of target proteins

(PubMed:17244818, PubMed:21074048, PubMed:25103237, PubMed:26829768). Catalyzes

the deglutamylation of polyglutamate side chains generated by post-translational polyglutamylation in proteins such as tubulins (PubMed:17244818). Also removes polyglutamates from the carboxy-terminus of target proteins such as MYLK

(PubMed:21074048). Mediates deglutamylation of CGAS, regulating the antiviral activity of CGAS (PubMed:26829768). Acts as a long-chain deglutamylase and specifically shortens long polyglutamate chains, while it is not able to remove the branching point glutamate, a process

catalyzed by AGBL5/CCP5 (PubMed:25103237).[UniProtKB/Swiss-Prot Function]





# Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).