

Product datasheet for **SR415902**

Chrne Mouse siRNA Oligo Duplex (Locus ID 11448)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_009603
UniProt ID:	P20782
Synonyms:	Ac; ACh; AChrepsilon; Acre; nAChRE
Components:	Chrne (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 11448) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes the epsilon subunit of the muscle-derived nicotinic acetylcholine receptor, a pentameric neurotransmitter receptor and member of the ligand-gated ion channel superfamily. The acetylcholine receptor changes subunit composition shortly after birth when the epsilon subunit replaces the gamma subunit seen in embryonic receptors. In mice, deficiency of this gene can lead to a decline in the number of nicotinic acetylcholine receptors at neuromuscular junctions and causes progressive muscle weakness, atrophy and premature death. Mutations in this gene serve as a pathophysiological model for human congenital myasthenia. Several alternatively spliced transcript variants of this gene have been described, but their full-length nature is not known. [provided by RefSeq, Nov 2012]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).