

Product datasheet for **SR416524**

Mia2 Mouse siRNA Oligo Duplex (Locus ID 338320)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_001165253 , NM_001165254 , NM_001329047 , NM_146034 , NM_177321 , NM_001368839
UniProt ID:	Q91ZV0
Synonyms:	Ctage5; D12Bwg0579e; Mea6; Mgea; Mgea6
Components:	Mia2 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 338320) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes a protein that is involved in endoplasmic reticulum-to-Golgi trafficking and regulation of cholesterol metabolism. Three major classes of transcripts are generated from this gene- melanoma inhibitory activity 2-specific transcripts, cTAGE family member 5-specific transcripts and transcripts that include exons from both these transcript species. Additionally, alternative splicing in these transcripts results in multiple transcript variants encoding diverse isoforms. A mutation in this gene (couch-potato or cpto) may result in low levels of plasma cholesterol and triglycerides. [provided by RefSeq, Sep 2016]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).