

Product datasheet for SR416986

Ripk2 Mouse siRNA Oligo Duplex (Locus ID 192656)

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<u>NM 138952, NR 138102</u>
UniProt ID:	<u>P58801</u>
Synonyms:	2210420D18Rik; CAR; CARD3; CARDIAK; CCK; D4Bwg0615e; R; RI; RICK; RIP2
Components:	Ripk2 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 192656) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes a member of the receptor-interacting protein family of serine/threonine protein kinases. The encoded protein contains a C-terminal caspase activation and recruitment domain, and is a component of signaling complexes in both the innate and adaptive immune pathways. It is a potent activator of nuclear factor kappa B and inducer of apoptosis in response to various stimuli. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Jul 2016]



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Ripk2 Mouse siRNA Oligo Duplex (Locus ID 192656) – SR416986
Performance Guaranteed:	OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.
	For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US