

### **Product datasheet for SR417584**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

#### Poll Mouse siRNA Oligo Duplex (Locus ID 56626)

#### **Product data:**

**Product Type:** siRNA Oligo Duplexes

Purity: HPLC purified

**Quality Control:** Tested by ESI-MS

Sequences: Available with shipment

**Stability:** One year from date of shipment when stored at -20°C.

# of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

 Note:
 Single siRNA duplex (10nmol) can be ordered.

 RefSeq:
 NM 001330506, NM 001330507, NM 020032

UniProt ID: Q9QXE2

**Synonyms:** 1110003P06Rik; AV007317

Components: Poll (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 56626)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

**Summary:** DNA polymerase that functions in several pathways of DNA repair. Involved in base excision

repair (BER) responsible for repair of lesions that give rise to abasic (AP) sites in DNA. Also contributes to DNA double-strand break repair by non-homologous end joining and homologous recombination. Has both template-dependent and template-independent (terminal transferase) DNA polymerase activities. Has also a 5'-deoxyribose-5-phosphate

lyase (dRP lyase) activity.[UniProtKB/Swiss-Prot Function]





# Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).