

Product datasheet for SR419492

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Ttll6 Mouse siRNA Oligo Duplex (Locus ID 237930)

Product data:

Product Type: siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

Stability: One year from date of shipment when stored at -20°C.

of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

Note: Single siRNA duplex (10nmol) can be ordered.

 RefSeq:
 NM 172799

 UniProt ID:
 A4Q9E8

Synonyms: 4932418K24Rik; D11Moh43e; D11Moh44e; t8130b59

Components: Ttll6 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 237930)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

Summary: Polyglutamylase which preferentially modifies alpha-tubulin (PubMed:17499049,

PubMed:21074048). Mediates tubulin polyglutamylation in cilia (PubMed:22246503). Involved

in the side-chain elongation step of the polyglutamylation reaction rather than in the initiation step (PubMed:17499049, PubMed:21074048). Generates long side-chains (PubMed:20530212). Generates polyglutamylation of CGAS, leading to impair the DNA-

binding activity of CGAS (PubMed:26829768).[UniProtKB/Swiss-Prot Function]





Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).