

## **Product datasheet for SR419658**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Mcm5 Mouse siRNA Oligo Duplex (Locus ID 17218)

**Product data:** 

**Product Type:** siRNA Oligo Duplexes

Purity: HPLC purified

**Quality Control:** Tested by ESI-MS

Sequences: Available with shipment

**Stability:** One year from date of shipment when stored at -20°C.

# of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

**Note:** Single siRNA duplex (10nmol) can be ordered.

RefSeq: <u>NM 001302540, NM 008566</u>

UniProt ID: P49718

**Synonyms:** AA617332; Al324988; AL033333; Cdc46; Mcmd5; P1-CDC46

Components: Mcm5 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 17218)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

**Summary:** The protein encoded by this gene is a member of the oligameric minichromosome

maintenance protein complex. During DNA replication, the complex loads onto chromatin in early G1 and is converted into an active replicative helicase during S phase. It functions to limit DNA synthesis to once per cell cycle. During embryogenesis, the encoded protein is negatively regulated through expression of paired box protein Pax 3. Alternative splicing

results in multiple transcript variants. [provided by RefSeq, Oct 2014]





## Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).