

## Product datasheet for SR421314

## **Glis3 Mouse siRNA Oligo Duplex (Locus ID 226075)**

## **Product data:**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<u>NM 175459</u>
Synonyms:	4833409N03Rik; E330013K21Rik
Components:	Glis3 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 226075) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene is a member of the GLI-similar zinc finger protein family and encodes a nuclear protein which contains multiple C2H2-type zinc finger domains. This protein functions as both a repressor and activator of transcription and is specifically involved in the transcriptional regulation of insulin. It is thought to enhance GLI-RE-dependent transcription by binding to the GLI-RE consensus sequence (GACCACCCAC). Mutations in a similar gene in human have been associated with neonatal diabetes and congenital hypothyroidism (NDH). Alternatively spliced transcript variants have been identified. [provided by RefSeq, Mar 2015]



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Glis3 Mouse siRNA Oligo Duplex (Locus ID 226075) – SR421314
Performance Guaranteed:	OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.
	For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2021 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US