

Product datasheet for SR423254

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Rp1l1 Mouse siRNA Oligo Duplex (Locus ID 271209)

Product data:

Product Type: siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

Stability: One year from date of shipment when stored at -20°C.

of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

Note: Single siRNA duplex (10nmol) can be ordered.

RefSeq: NM 146246
UniProt ID: Q8CGM2

Synonyms: BC031365; BE983540; Dcdc4; Rp1; Rp1hl1

Components: Rp1l1 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 271209)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

Summary: This gene encodes a member of the doublecortin family. This protein is a retinal-specific

protein. It contains two N-terminal doublecortin domains, which can assemble and stabilize axonemal microtubules, but lacks the C-terminal repetitive regions including the 16aa repeat found in human RP1L1. This protein and the RP1 protein, another retinal-specific protein,

play essential and synergistic roles in affecting photosensitivity and outer segment

morphogenesis of rod photoreceptors. [provided by RefSeq, Sep 2010]



Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).