

## Product datasheet for **SR423419**

### F5 Mouse siRNA Oligo Duplex (Locus ID 14067)

#### Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	<a href="#">NM_007976</a>
UniProt ID:	<a href="#">O88783</a>
Synonyms:	A1173222; Cf-5; Cf5
Components:	F5 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 14067) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	This gene encodes a glycoprotein coagulation factor that plays a critical role in the process of blood coagulation and hemostasis. The encoded protein is activated by thrombin, to generate a heterodimer containing heavy and light chains held together by calcium ions. About half of the mice lacking the encoded protein die at an embryonic stage possible due to abnormal yolk-sac vasculature while the remaining animals succumbed to massive hemorrhage immediately after birth. A point mutation in this gene has been shown to cause disseminated intravascular thrombosis in the perinatal period, resulting in frequent deaths of newborn mice. [provided by RefSeq, Apr 2015]



[View online »](#)

**Performance  
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).