

Product datasheet for **SR426612**

Slc30a7 Mouse siRNA Oligo Duplex (Locus ID 66500)

Product data:

Product Type:	siRNA Oligo Duplexes
Purity:	HPLC purified
Quality Control:	Tested by ESI-MS
Sequences:	Available with shipment
Stability:	One year from date of shipment when stored at -20°C.
# of transfections:	Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final conc. 10 nM).
Note:	Single siRNA duplex (10nmol) can be ordered.
RefSeq:	NM_023214
UniProt ID:	Q9JKN1
Synonyms:	1810059J10Rik; 2610034N15Rik; 4833428C12Rik; AI467242; ZnT-7; ZnT7; Zntl2
Components:	Slc30a7 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 66500) Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol Included - SR30005, RNase free siRNA Duplex Resuspension Buffer - 2 ml
Summary:	Seems to facilitate zinc transport from the cytoplasm into the Golgi apparatus. Partly regulates cellular zinc homeostasis. Required with ZNT5 for the activation of zinc-requiring enzymes, alkaline phosphatases (ALPs). Transports zinc into the lumens of the Golgi apparatus and the vesicular compartments where ALPs locate, thus, converting apoALPs to holoALPs. Required with ZNT5 and ZNT6 for the activation of TNAP (By similarity). [UniProtKB/Swiss-Prot Function]



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).