

Product datasheet for SR508602

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Rassf4 Rat siRNA Oligo Duplex (Locus ID 362423)

Product data:

Product Type: siRNA Oligo Duplexes

HPLC purified **Purity:**

Quality Control: Tested by ESI-MS

Available with shipment **Sequences:**

Stability: One year from date of shipment when stored at -20°C.

of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

Single siRNA duplex (10nmol) can be ordered. Note:

RefSeq: NM 001024275

UniProt ID: Q566C5

Synonyms: MGC105606

Components: Rassf4 (Rat) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 362423)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

Potential tumor suppressor. May act as a KRAS effector protein. May promote apoptosis and **Summary:**

cell cycle arrest (By similarity).[UniProtKB/Swiss-Prot Function]

Performance OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will **Guaranteed:**

provide at least 70% or more knockdown of the target mRNA when used at 10 nM

concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT

positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data

required).

