

Product datasheet for TA150037S


Clone OTI4C5, Anti-DDK (FLAG) Monoclonal Antibody, Agarose Beads

Product data:

Product Type:	Tag Antibodies
Product Name:	Clone OTI4C5, Anti-DDK (FLAG) Monoclonal Antibody, Agarose Beads
Clone Name:	OTI4C5 (formerly 4C5)
Applications:	IP, Protein Purification
Recommended Dilution:	IP: See Datasheet
Target:	DDK (FLAG tag): DYKDDDDK
Host:	Mouse
Clonality:	Monoclonal
Immunogen:	Anti-DDK monoclonal antibody is produced by immunizing mice with a synthetic peptide (DYKDDDDK) coupled to KLH
Isotype:	IgG2a
Formulation:	PBS (pH7.4) containing 0.1% BSA, 0.02% NaN ₃ and 50% glycerol
Conjugation:	Agarose
Storage:	Shipped at -20°C or with ice packs, Upon delivery store at -20°C. Dilute in PBS(pH7.3) if necessary. Stable for 12 months from date of receipt. Avoid repeated freeze-thaws.
Synonyms:	ANTI DDK, ANTI-DDK, ANTIDDK, FLAG TAG, ANTI FLAG, ANTI-FLAG, ANTI FLAG ANTIBODY, FLAG ANTIBODY, M2 ANTIBODY, FLAG M2, ANTIBODY FOR FLAG, 4C5, ANTI DDK 4C5, DDK 4C5, ANTI-DDK 4C5, DYKDDDDK TAG, D-TAG ANTIBODY, ANTI D-TAG, ANTI D TAG, ANTI-D TAG, ANTI-MDDK, ANTI-MYC DDK, ANTI-MYC/DDK, MYC/DDK ANTIBODY, MYC DDK ANTIBODY, ANTI MYC DDK, ANTI DDK MYC, ANTI-DDK/MYC, ANTI-DDK MYC, FLAG AB, FLAG MAB, DDK ANTIBODY, FLAG AGAROSE, ANTI FLAG AGAROSE, ANTI FLAG BEAD, ANTI FLAG RESIN, ANTI-FLAG BEAD, ANTI-FLAG RESIN, ANTI-DDK RESIN, ANTI-DDK BEAD, ANTI-DDK COLUMN, ANTI-FLAG COLUMN
Note:	This antibody doesn't recognize N- terminus DDK tag. Please use TA180144 for the detection of DDK tag at any location in Western blotting.



[View online »](#)

Product images:

Immunoprecipitation was performed with HEK293T cell lysates of expressing Entry vector (control, Cat# [PS100001]) or expressing DDK-tagged PON3 (Cat# [LY400339]). Anti-DDK 4C5-agarose beads were incubated with control lysate or [LY400339] overnight at 4°C. After washing three times with lysate buffer, 20uL 4x SDS sample buffer was applied. The samples were boiled at 95°C for 10min. The supernatant was loaded to the SDS-PAGE gel after discarded the beads by centrifuging. After transferring to the membrane, the Western blot assay was applied with HRP-conjugated anti-DDK antibody (Cat# [TA150030]). Lane 1: control lysate; Lane 2: DDK-tagged PON3 ([LY400339]); Lane 3: anti-DDK 4C5 agarose beads ([TA150037]) 50uL with control lysate; Lane 4: anti-DDK 4C5 agarose beads ([TA150037]) 50uL with [LY400339].