

## **Product datasheet for TA160055**

## pagA Rabbit Polyclonal Antibody

**Product data:** 

**Product Type: Primary Antibodies** 

Recommended Dilution: ELISA: 1 ug/mL

Reactivity: Bacteria Host: Rabbit

Isotype: **IgG** 

Clonality: Polyclonal

Immunogen: Anthrax protective antigen antibody was raised against a synthetic peptide corresponding to

14 amino acids at the carboxy terminus of the Anthrax protective antigen protein.

Formulation: PBS containing 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Store at -20°C as received. Storage:

Stable for 12 months from date of receipt. Stability:

**Database Link:** P13423

Background: Anthrax Protective Antigen Antibody: Anthrax infection is initiated by the inhalation, ingestion,

> or cutaneous contact with Bacillus anthracis endospores. B. anthracis produces three polypeptides that comprise the anthrax toxin: protective antigen (PA), lethal factor (LF), and edema factor (EF). PA binds to two related proteins on the cell surface; these are termed tumor epithelial marker 8 (TEM8)/anthrax toxin receptor (ATR) and capillary morphogenesis protein 2 (CMG2), although it is still unclear which is physiologically relevant. Following PA binding to its receptor, PA is cleaved into two fragments by a furin-like protease. The bound fragment binds both LF and EF; the resulting complex is then endocytosed which allows the translocation of LF and EF into the cytoplasm. These toxins are usually sufficient to cause

rapid cell death, and often the death of the organism.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com