

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA302866

RNF90 (TRIM7) Goat Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	ELISA: 1:32,000. WB: 1µg/ml.
Reactivity:	Human
Host:	Goat
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Peptide with sequence C-QAPAGPPWDITEA, from the C Terminus of the protein sequence according to NP_203128.
Formulation:	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Concentration:	lot specific
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	tripartite motif containing 7
Database Link:	<u>NP_203128</u> <u>Entrez Gene 81786 Human</u> <u>Q9C029</u>
Background:	The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1, a B-box type 2, and a coiled-coil region. The protein localizes to both the nucleus and the cytoplasm, and may represent a participant in the initiation of glycogen synthesis. Multiple transcript variants have been found for this gene, and some of them encode the same isoform.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	RNF90 (TRIM7) Goat Polyclonal Antibody – TA302866	
Synonyms:	GNIP; RNF90	
Protein Families:	Druggable Genome	
Product image	250kDa 150kDa 100kDa 75kDa 50kDa 37kDa	TA302866 staining (1ug/ml) of Human Muscle lysate (RIPA buffer, 30ug total protein per lane). Primary incubated for 1 hour. Detected by
	25kDa	western blot using chemiluminescence.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US