

## **Product datasheet for TA302889**

## **TCF19 Goat Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: WB

**Recommended Dilution:** ELISA: 1:32,000. WB: 1-2µg/ml.

Reactivity: Human
Host: Goat
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Peptide with sequence C-RSTAKAPSDTPAHE, from the C Terminus of the protein sequence

according to NP\_009040.

**Formulation:** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum

albumin.

**Concentration:** lot specific

**Purification:** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity

chromatography using the immunizing peptide. Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20 $^{\circ}$ C. Minimize

freezing and thawing.

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** transcription factor 19

Database Link: NP 001070979

Entrez Gene 6941 Human

Q9Y242

**Background:** Potential trans-activating factor that could play an important role in the transcription of

genes required for the later stages of cell cycle progression

Synonyms: SC1; TCF-19

**Protein Families:** Druggable Genome, Transcription Factors




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



TA302889 staining (1.5ug/ml) of 293 lysate (RIPA buffer, 30ug total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.