

Product datasheet for TA306129

PHAP1 (ANP32A) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IF, WB

Recommended Dilution: WB: 1 ug/mL, ICC: 1 ug/mL

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: PHAP antibody was raised with a synthetic peptide corresponding to amino acids at amino

terminus of human PHAP.

Formulation: PBS containing 0.02% sodium azide.

Concentration: 1ug/ul

Purification: Affinity chromatography purified via peptide column

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: acidic nuclear phosphoprotein 32 family member A

Database Link: NP 006296

Entrez Gene 11737 MouseEntrez Gene 25379 RatEntrez Gene 8125 Human

P39687

Background: Apoptosis is related to many diseases and development. Caspase-9 plays a central role in cell

death induced by a variety of apoptosis activators. Cytochrome c, after released from

mitochondria, binds to Apaf-1, which forms an apoptosome that in turn binds to and activate procaspase-9. Activated caspase-9 cleaves and activates the effector caspases (caspase-3, -6 and -7), which are responsible for the proteolytic cleavage of many key proteins in apoptosis. The tumor suppressor putative HLA-DR-associated proteins (PHAPs) were recently identified

as important regulators of mitochondrion apoptosis (1). PHAP appears to facilitate

apoptosome-medicated caspase-9 activation and to stimulate the mitochondrial apoptotic pathway. PHAP was also shown to oppose both Ras- and Myc-medicated cell transformation.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms: C15orf1; HPPCn; I1PP2A; LANP; MAPM; PHAP1; PHAP1; PP32

Protein Families: Druggable Genome, Stem cell - Pluripotency

Product images:



Western blot analysis of PHAP expression in human Raji cell lysate with PHAP antibody at 1 ug/mL. The wide and strong band below PHAP III is a doublelet composed of PHAP I (upper) and PHAP I2a (lower).



Immunocytochemistry of PHAP in Raji cells with PHAP antibody at 1 ug/mL.