

Product datasheet for **TA306240**

C1qtnf7 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IF, WB
Recommended Dilution:	WB: 0.5 - 2 ug/mL, IF: 2 ug/mL
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	CTRP7 antibody was raised against a 15 amino acid peptide from near the carboxy-terminus of human CTRP7.
Formulation:	PBS containing 0.02% sodium azide.
Concentration:	1ug/ul
Purification:	Affinity chromatography purified via peptide column
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	C1q and tumor necrosis factor related protein 7
Database Link:	AAY21932 Entrez Gene 109323 Mouse Q8BVD7




[View online »](#)

Background:


Adipose tissue of an organism plays a major role in regulating physiologic and pathologic processes such as metabolism and immunity by producing and secreting a variety of bioactive molecules termed adipokines (reviewed in 1). One highly conserved family of adipokines is adiponectin/ACRP30 and its structural and functional paralogs, the C1q/tumor necrosis factor- α -related proteins (CTRPs) 1-7 (2). Unlike adiponectin, which is expressed exclusively by differentiated adipocytes, the CTRPs are expressed in a wide variety of tissues (3). These proteins are thought to act mainly on liver and muscle tissue to control glucose and lipid metabolism. An analysis of the crystal structure of adiponectin revealed a structural and evolutionary link between TNF and C1q-containing proteins, suggesting that these proteins arose from a common ancestral innate immunity gene (4). Like the other members of the adiponectin and CTRP protein family, the mature CTRP7 is secreted and can be found in the organism's circulatory system (1).

Synonyms:

CTRP7; ZACRP7

Product images:

Western blot analysis of CTRP7 in 293 cell lysate with CTRP7 antibody at (A) 0.5, (B) 1, and (C) 2 ug/mL.



Immunofluorescence of CTRP7 in HL60 with CTRP7 antibody at 2 ug/mL.



Immunocytochemistry of CTRP7 in HL60 cells with CTRP7 antibody at 0.5 ug/mL.