

Product datasheet for TA306526

SLITRK3 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IF, IHC, WB

Recommended Dilution: WB: 0.5 - 1 ug/mL, ICC: 2.5 ug/mL, IF: 20 ug/mL

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Slitrk3 antibody was raised against a 14 amino acid peptide from near the carboxy terminus

of human Slitrk3.

Formulation: PBS containing 0.02% sodium azide.

Concentration: 1ug/ul

Purification: Affinity chromatography purified via peptide column

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: SLIT and NTRK like family member 3

Database Link: NP 055741

Entrez Gene 386750 MouseEntrez Gene 22865 Human

<u>094933</u>

Background: SLIT and NTRK-like family 3 (Slitrk3) is a member a protein family consisting of six

homologous transmembrane proteins (Slitrk1-6) that share two conserved leucine-rich repeat domains in the extracellular domain and have significant homology to Slit, a secreted axonal

growth-controlling protein. These proteins are also homologous to trk neurotrophin receptors in their intracellular domains. Expression of Slitrk proteins is highly restricted to neural and brain tumor tissues, but varies within the protein family. Like every other Slitrk protein except Slitrk1, overexpression of Slitrk3 inhibited neurite outgrowth in cultured neurons, suggesting that these proteins are involved in the control of neurite outgrowth. This

antibody is predicted to have no cross-reactivity to other Slitrk proteins.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms: KIAA0848; MGC138681

Protein Families: Transmembrane


Product images:



Western blot analysis of Slitrk3 in SK-N-SH cell lysate with Slitrk3 antibody at (A) 0.5 and (B) 1 ug/ml.



Immunohistochemistry of Slitrk3 in human brain tissue with Slitrk3 antibody at 2.5 ug/ml.



Immunofluorescence of slitrk3 in human brain tissue with slitrk3 antibody at 20 ug/mL.