

Product datasheet for TA306543

DDIT4 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB: 2 - 4 ug/mL

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: RTP801 antibody was raised against a 14 amino acid peptide from near the amino terminus

of human RTP801.

Formulation: PBS containing 0.02% sodium azide.

Concentration: 1ug/ul

Purification: Affinity chromatography purified via peptide column

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: DNA damage inducible transcript 4

Database Link: NP 061931

Entrez Gene 74747 MouseEntrez Gene 140942 RatEntrez Gene 54541 Human

Q9NX09

Background: RTP801 was initially identified as a gene induced by DNA damage, and later found to also be

regulated by other cellular stresses such as hypoxia and glucocorticoid treatment. Recently, RTP801 has been shown to act as a mediator of tuberous sclerosis complex (TSC)-dependent regulation of the mammalian Target of Rapamycin (mTOR), an evolutionarily conserved

serine/threonine kinase that regulates cell growth and cell cycle. In response to energy stress, RTP801 inhibits mTOR function, resulting in dephosphorylation of downstream targets such as ribosomal protein S6 kinase 1 and 4EBP1 and decreasing cell growth. Disregulation of

RTP801 may thus contribute to human tumorigenesis.

Synonyms: Dig2; REDD-1; REDD1



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Pathways: mTOR signaling pathway

Product images:



Western blot analysis of RTP801 in 293 cell lysate with RTP801 antibody at (A) 2 and (B) 4 ug/ml.