

Product datasheet for TA306586

SATB2 Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies	
Applications:	IF, IHC, WB	
Recommended Dilution:	WB: 2 - 4 ug/mL, ICC: 5 ug/mL, IF: 20 ug/mL	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
lsotype:	lgG	
Clonality:	Polyclonal	
Immunogen:	SATB2 antibody was raised against a 16 amino acid peptide near the amino terminus of the human SATB2.	
Formulation:	PBS containing 0.02% sodium azide.	
Concentration:	1ug/ul	
Purification:	Affinity chromatography purified via peptide column	
Conjugation:	Unconjugated	
Storage:	Store at -20°C as received.	
Stability:	Stable for 12 months from date of receipt.	
Gene Name:	SATB homeobox 2	
Database Link:	<u>NP_056080</u> <u>Entrez Gene 212712 MouseEntrez Gene 501145 RatEntrez Gene 23314 Human <u>Q9UPW6</u></u>	




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

SATB2 Rabbit Polyclonal Antibody – TA306586

Background: Human special AT-rich sequence-binding protein-2 (SATB2) is a nuclear matrix/scaffoldassociated region DNA-binding protein. Like its homolog SATB1, SATB2 selectively binds double-stranded, special AT-rich DNA sequences, but is expressed primarily in a subset of postmitotic, differentiating neurons in the neocortex. Mice deficient in SATB exhibit craniofacial abnormalities and defects in osteoblast differentiation and function. SATB2 also interacts with and enhances the activity of Runx2 and ATF4, two transcription factors that regulate osteoblast differentiation, indicating that SATB2 acts as a molecular node in a transcriptional network regulating skeletal development and osteoblast differentiation. Recent experiments have shown that SATB2 interacts with histone deacetylase 1 and metastasis-associated protein 2, two proteins that are involved in chromatin remodeling, suggesting that SATB2 may also be involved in mediating epigenetic influences during cortical development. At least two isoforms of SATB2 are known to exist. This SATB2 antibody will not cross-react with SATB1.

Synonyms:	GLSS
Protein Families:	Transcription Factors

Product images:




Western blot analysis of SATB2 in mouse brain tissue lysate with SATB2 antibody at (A) 2 and (B) 4 ug/ml.

Immunohistochemistry of SATB2 in human brain with SATB2 antibody at 5 ug/ml.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US





Immunofluorescence of SATB2 in Human Brain cells with SATB2 antibody at 20 ug/mL.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US