

## **Product datasheet for TA306654**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

## Integrin alpha 4 (ITGA4) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IF, WB

Recommended Dilution: WB: 1 ug/mL

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Integrin alpha 4 antibody was raised against a 16 amino acid peptide from near the center of

human Integrin alpha 4.

**Formulation:** PBS containing 0.02% sodium azide.

**Concentration:** 1ug/ul

**Purification:** Affinity chromatography purified via peptide column

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** integrin subunit alpha 4

Database Link: NP 000876

Entrez Gene 16401 MouseEntrez Gene 311144 RatEntrez Gene 3676 Human

P13612



Background:

The integrin alpha 4 (also known as CD49d and ITGA4) belongs to the integrin alpha chain family of proteins. Integrins are heterodimeric integral membrane proteins composed of an alpha and beta chains. Alpha 4 chain associates with either beta 1 or beta 7 chain. It has been demonstrated that the putative ligand-binding sites of both integrin alpha 4 beta 1 and alpha 4 beta 7 is located on the alpha 4 chain. These ligands included Madcam, VCAM, and fibronectin. Madcam is known as the principal ligand for integrin alpha 4 beta 7. Recently it was also demonstrated that HIV-1 envelope can mimic Madcam by binding to and signaling though integrin alpha 4 beta 1, the gut mucosal homing receptor for peripheral T cells. Despite its predicted molecular weight, Integrin alpha 4 will often run at higher molecular weight in SDS-PAGE. At least two isoforms are known to exist.

Synonyms: CD49D; IA4


**Protein Families:** Druggable Genome, ES Cell Differentiation/IPS, Transmembrane

Protein Pathways: Arrhythmogenic right ventricular cardiomyopathy (ARVC), Cell adhesion molecules (CAMs),


Dilated cardiomyopathy, ECM-receptor interaction, Focal adhesion, Hematopoietic cell lineage, Hypertrophic cardiomyopathy (HCM), Leukocyte transendothelial migration,

Regulation of actin cytoskeleton

## **Product images:**



Western blot analysis of Integrin alpha 4 using (A) 25 and (B) 100 ng of recombinant Integrin alpha 4 with Integrin alpha 4 antibody at 1 ug/mL.



Immunofluorescence of Integrin alpha 4 in Jurkat cells with Integrin alpha 4 antibody at 2 ug/mL.