

Product datasheet for TA306684

JPH4 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IF, IHC, WB

Recommended Dilution: WB: 1 ug/mL, ICC: 2.5 ug/mL, IF: 20 ug/mL

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: JPH4 antibody was raised against a 16 amino acid peptide near the carboxy terminus of

human JPH4.

Formulation: PBS containing 0.02% sodium azide.

Concentration: 1ug/ul

Purification: Affinity chromatography purified via peptide column

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: junctophilin 4

Database Link: <u>AAH55429</u>

Entrez Gene 84502 Human

Q96JJ6



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

Junctional complexes between the plasma membrane (PM) and endoplasmic/sarcoplasmic reticulum (ER/SR) are a common feature of all excitable cell types and mediate cross talk between cell surface and intracellular ion channels. Junctophilins (JPs) are important components of the junctional complexes. JPs are composed of a carboxy-terminal hydrophobic segment spanning the ER/SR membrane and a remaining cytoplasmic domain that shows specific affinity for the PM. Four JPs have been identified as tissue-specific subtypes derived from different genes: JPH1 is expressed in skeletal muscle, JPH2 is detected throughout all muscle cell types, and JPH3 and JPH4 are predominantly expressed in the brain. In the CNS, both JPH3 and JPH4 are expressed throughout neural sites and contribute to the subsurface cistern formation in neurons. Mice lacking both JPH3 and JPH4 subtypes exhibit serious symptoms such as impaired learning and memory and are accompanied by abnormal nervous functions.


Synonyms:

JP4; JPHL1

Product images:




Western blot analysis of JPH4 in 293 cell lysate with JPH4 antibody at 1 ug/ml in (A) the absence and (B) the presence of blocking peptide.



Immunohistochemistry of JPH4 in human brain tissue with JPH4 antibody at 2.5 ug/ml.





Immunofluorescence of JPH4 in Human Brain cells with JPH4 antibody at 20 ug/mL.