

Product datasheet for TA306738

Product datasineet for TASU0736

LRFN1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IF, IHC, WB

Recommended Dilution: WB: 1 - 2 ug/mL, ICC: 2.5 ug/mL, IF: 20 ug/mL

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: LRFN1 antibody was raised against an 18 amino acid peptide near the carboxy terminus of

human LRFN1.

Formulation: PBS containing 0.02% sodium azide.

Concentration: 1ug/ul

Purification: Affinity chromatography purified via peptide column

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: leucine rich repeat and fibronectin type III domain containing 1

Database Link: NP 065913

Entrez Gene 80749 MouseEntrez Gene 365222 RatEntrez Gene 57622 Human

Q9P244



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

LRFN1 is one of a family of five transmembrane glycoproteins that are highly expressed in neuronal tissues. LRFN proteins share leucine-rich repeat (LRR)-immunoglobulin-like (Ig)-fibronectin type III (Fn)-transmembrane domain structure with other members of the LRR-Ig-Fn protein superfamily such as the Slitrk family of proteins. Expression of LRFN1, -3, and -4 mRNA was detected in embryonic neuronal cells, while Lrfn2 and Lrfn5 expression was primarily restricted to more mature cells. LRFN1, -2, and -4 bound to PDZ domains of postsynaptic PSD95, re-distributing PSD95 to the cell periphery. It has been suggested that the Lrfn proteins play a role in the developing and/or mature vertebrate nervous system. At least two isoforms of LRFN1 are known to exist. This antibody is predicted to not cross-react with other members of the LRFN family.


Synonyms: SALM2

Protein Families: Transmembrane

Product images:




Western blot analysis of LRFN1 in human brain lysate with LRFN1 antibody at (A) 1 and (B) 2 ug/ml.



Immunohistochemistry of LRFN1 in mouse brain tissue with LRFN1 antibody at 2.5 ug/ml.





Immunofluorescence of LRFN1 in mouse brain tissue with LRFN1 antibody at 20 ug/mL.