

## Product datasheet for **TA307936**


### HAUS8 Rabbit Polyclonal Antibody

#### Product data:


Product Type:	Primary Antibodies
Applications:	IF, IHC, IP, WB
Recommended Dilution:	ICC/IF:1:100-1:1000; IHC:1:50-1:500; WB:1:500-1:3000
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Recombinant fragment contain a sequence corresponding to a region within amino acids 166 and 410 of HICE1
Formulation:	0.1M Tris, 0.1M Glycine, 10% Glycerol (pH7). 0.01% Thimerosal was added as a preservative.
Concentration:	lot specific
Purification:	Purified by antigen-affinity chromatography.
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	HAUS augmin like complex subunit 8
Database Link:	<a href="#">NP_219485</a> <a href="#">Entrez Gene 93323 Human</a> <a href="#">Q9BT25</a>
Synonyms:	DGT4; HICE1; NY-SAR-48

[View online »](#)


## Product images:




WB to detect cellular Hice1 and Hice1-GFP expressed in human osteosarcoma U2OS cells (left image), and Hice1 upon siRNA treatment (right image), using TA307936 at 1:1000 dilution. Nuclear matrix protein p84 is a loading control, blotted with p84 antibody



Sample. A: His-Hice1 (2x). B: His-Hice1 (1x). 7.5% SDS PAGE. TA307936 diluted at 1:500



Immunohistochemical analysis of paraffin-embedded Human lymph tissue, using HICE1 (TA307936) antibody at 1:50 dilution.




Immunohistochemical analysis of paraffin-embedded Human lymph tissue, using HICE1 (TA307936) antibody at 1:50 dilution.


Hice1

$\alpha$ -tubulin

Merged with DAPI



Immunofluorescence analysis of human osteosarcoma cell line U2OS, using HICE1 (TA307936) antibody at 1:50-1:200 dilution.



IP-WB assay to show that Hice1 co-immunoprecipitated with other Augmin components HAUS6, HAUS2 and HAUS1 in U2OS cells.