

## **Product datasheet for TA308602**

## **FUT3 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: WB

Recommended Dilution: WB:1:500-1:3000

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Recombinant fragment corresponding to a region within amino acids 98 and 315 of Blood

Group Lewis a (Uniprot ID#P21217)

**Formulation:** 0.1M Tris, 0.1M Glycine, 10% Glycerol (pH7). 0.01% Thimerosal was added as a preservative.

**Concentration:** lot specific

**Purification:** Purified by antigen-affinity chromatography.

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 42 kDa

**Gene Name:** fucosyltransferase 3 (Lewis blood group)

Database Link: NP 001091110

Entrez Gene 2525 Human

P21217



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

The Lewis histo-blood group system comprises a set of fucosylated glycosphingolipids that are synthesized by exocrine epithelial cells and circulate in body fluids. The glycosphingolipids function in embryogenesis, tissue differentiation, tumor metastasis, inflammation, and bacterial adhesion. They are secondarily absorbed to red blood cells giving rise to their Lewis phenotype. This gene is a member of the fucosyltransferase family, which catalyzes the addition of fucose to precursor polysaccharides in the last step of Lewis antigen biosynthesis. It encodes an enzyme with alpha(1,3)-fucosyltransferase and alpha(1,4)-fucosyltransferase activities. Mutations in this gene are responsible for the majority of Lewis antigen-negative phenotypes. Multiple alternatively spliced variants, encoding the same protein, have been found for this gene. [provided by RefSeq]

Synonyms: CD174; FT3B; FucT-III; LE; Les

**Protein Pathways:** Glycosphingolipid biosynthesis - lacto and neolacto series, Metabolic pathways

## **Product images:**



Sample (30 ug of whole cell lysate). A: Molt-4. 10% SDS PAGE. TA308602 diluted at 1:1000.