

## **Product datasheet for TA311336**

## **LPP Goat Polyclonal Antibody**

**Product data:** 

**Product Type: Primary Antibodies** 

WB **Applications:** 

Recommended Dilution: WB: 0.1-0.3ug/ml

Human (Expected from sequence similarity: Dog, Cow) Reactivity:

Host: Goat

Clonality: Polyclonal

Immunogen: Peptide with sequence C-RNDSDPTYGQQGHP, from the internal region of the protein

sequence according to NP\_005569.1.

Formulation: Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum

albumin. Aliquot and store at -20C. Minimize freezing and thawing.

Concentration: lot specific

**Purification:** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity

chromatography using the immunizing peptide.

Unconjugated Conjugation:

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: LIM domain containing preferred translocation partner in lipoma

**Database Link:** NP 005569

Entrez Gene 478670 DogEntrez Gene 4026 Human

Q93052

Synonyms: DKFZp779O0231; FLJ30652; FLJ41512



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



(0.1ug/ml) staining of HepG2 lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.