

Product datasheet for TA312887

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

EU: info-de@origene.com
CN: techsupport@origene.cn

SRC Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 1:500~1:3000, IHC: 1:50~1:100, ELISA: 1:10000

Reactivity: Human, Mouse, Rat **Modifications:** Phospho-specific

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: The antiserum was produced against synthesized phosphopeptide derived from human Src

around the phosphorylation site of tyrosine 529 (P-Q-YP-Q-P).

Formulation: Phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium

azide and 50% glycerol.

Concentration: lot specific

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific immunogen.

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: SRC proto-oncogene, non-receptor tyrosine kinase

Database Link: NP 005408

Entrez Gene 20779 MouseEntrez Gene 83805 RatEntrez Gene 6714 Human

P12931

Synonyms: ASV; c-SRC; p60-Src; SRC1; THC6

Note: Src (phospho-Tyr529) antibody detects endogenous levels of Src only when phosphorylated

at tyrosine 529.

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase, Stem cell relevant signaling -

JAK/STAT signaling pathway







Protein Pathways:

Adherens junction, Endocytosis, Epithelial cell signaling in Helicobacter pylori infection, ErbB signaling pathway, Focal adhesion, Gap junction, GnRH signaling pathway, Tight junction, VEGF signaling pathway