

Product datasheet for TA320069

IL33 Mouse Monoclonal Antibody [Clone ID: 12B3C4]

Product data:

Product Type: Primary Antibodies

Clone Name: 12B3C4

Applications: IF, IHC, WB

Recommended Dilution: WB: 1 ug/mL, ICC: 5 ug/mL, IF: 20 ug/mL

Reactivity: Human, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Mouse monoclonal IL-33 antibody was raised against the recombinant IL-33 protein.

Formulation: IL-33 Monoclonal Antibody is supplied in PBS containing 0.02% sodium azide.

Concentration: 1ug/ul

Purification: IL-33 Monoclonal Antibody is immunoaffinity chromotography purified IgG.

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: interleukin 33

Database Link: NP 001186569

Entrez Gene 77125 MouseEntrez Gene 90865 Human

<u>095760</u>



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


IL-33 Monoclonal Antibody: Interleukin-33 (IL-33) is a recently identified member of the IL-1 family of cytokines whose other members include IL-1 $\alpha\beta$, IL-1Ra and IL-18. Its receptor has been shown to be ST2, an IL-1 receptor family member that also acts as a negative regulator of TLR-IL-1R signaling and IL-1R accessory protein (IL-1RAcP). Receptor binding of IL-33 activates NF- α B and MAP kinases and induces the expression of TH2-associated cytokines such as IL-4, IL-5 and IL-6. Prolonged IL-33 treatment of mice led to the development of eosinophilia, splenomegaly, and severe pathological changes in mucosal organs such as lungs, esophagus and small intestine. Recent experiments have shown that IL-33 can also colocalize with heterochromatin and possesses transcriptional repressor activities, indicating that IL-33 may function as both a proinflammatory cytokine and an intracellular nuclear factor with transcriptional regulatory properties. Despite its predicted molecular weight, IL-33 will often run at higher molecular weight in SDS-PAGE.

Synonyms: C9orf26; DVS27; IL1F11; NF-HEV; NFEHEV


Protein Families: Secreted Protein

Protein Pathways: Cytosolic DNA-sensing pathway

Product images:




Western blot analysis of IL-33 using 125ng of recombinant IL-33 with IL-33 antibody at 1 ug/mL.



Immunohistochemistry of IL-33 in human lymph node tissue with IL-33 antibody at 5 ug/mL.





Immunofluorescence of IL-33 in human lymph node tissue with IL-33 antibody at 20 ug/mL.