

# Product datasheet for TA321043S

## Aldolase (ALDOA) Rabbit Polyclonal Antibody

#### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: NIH/3T3 cell lysate IHC: 50-200 Positive control: Human cervical cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein corresponding to C terminal 200 amino acids of human aldolase A, fructose- bisphosphate
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	39 kDa
Gene Name:	aldolase, fructose-bisphosphate A
Database Link:	<u>NP_000025</u> <u>Entrez Gene 11674 MouseEntrez Gene 24189 RatEntrez Gene 226 Human</u> <u>P04075</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


	Aldolase (ALDOA) Rabbit Polyclonal Antibody – TA321043S
Background:	The protein encoded by this gene, Aldolase A (fructose-bisphosphate aldolase), is a glycolytic enzyme that catalyzes the reversible conversion of fructose-1,6-bisphosphate to glyceraldehyde 3-phosphate and dihydroxyacetone phosphate. Three aldolase isozymes (A, B, and C), encoded by three different genes, are differentially expressed during development. Aldolase A is found in the developing embryo and is produced in even greater amounts in adult muscle. Aldolase A expression is repressed in adult liver, kidney and intestine and similar to aldolase C levels in brain and other nervous tissue. Aldolase A deficiency has been associated with myopathy and hemolytic anemia. Alternative splicing and alternative promoter usage results in multiple transcript variants. Related pseudogenes have been identified on chromosomes 3 and 10.
Synonyms:	ALDA; GSD12; HEL-S-87p
Protein Families:	Druggable Genome
Protein Pathways	s: Fructose and mannose metabolism, Glycolysis / Gluconeogenesis, Metabolic pathways, Pentose phosphate pathway

### **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 µg Lane: NIH/3T3 cell lysate Primary antibody: [TA321043] (ALDOA Antibody) at dilution 1/550 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 10 seconds


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA321043] (ALDOA Antibody) at dilution 1/50 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA321043] (ALDOA Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA321043] (ALDOA Antibody) at dilution 1/50 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA321043] (ALDOA Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US