

# **Product datasheet for TA321065**

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

## Factor IX (F9) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: WB

Recommended Dilution: WB: 500-2000

WB positive control: Human liver cancer tissue, hela and Jurkat cells

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein corresponding to a region derived from 227-461 amino acids of human

coagulation factor IX

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 52 kDa

**Gene Name:** coagulation factor IX

Database Link: NP 000124

Entrez Gene 14071 MouseEntrez Gene 24946 RatEntrez Gene 2158 Human

P00740





#### Background:


This gene encodes vitamin K-dependent coagulation factor IX that circulates in the blood as an inactive zymogen. This factor is converted to an active form by factor XIa; which excises the activation peptide and thus generates a heavy chain and a light chain held together by one or more disulfide bonds. The role of this activated factor IX in the blood coagulation cascade is to activate factor X to its active form through interactions with Ca+2 ions; membrane phospholipids; and factor VIII. Alterations of this gene; including point mutations; insertions and deletions; cause factor IX deficiency; which is a recessive X-linked disorder; also called hemophilia B or Christmas disease.

**Synonyms:** FIX; HEMB; P19; PTC; THPH8

**Protein Families:** Druggable Genome, Protease, Secreted Protein

**Protein Pathways:** Complement and coagulation cascades

## **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane 1-3: Human liver cancer tissue

hela cells Jurkat cells

Primary antibody: TA321065 (F9 Antibody) at

dilution 1/400

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution

Exposure time: 30 seconds