

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA321077S

### alpha 1 Glycine Receptor (GLRA1) Rabbit Polyclonal Antibody

### **Product data:**

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB: 200-1000 WB positive control: Raji cells and mouse brain tissue
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 141-155 amino acids of human glycine receptor, alpha 1
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	53 kDa
Gene Name:	glycine receptor alpha 1
Database Link:	<u>NP_000162</u> <u>Entrez Gene 14654 MouseEntrez Gene 25674 RatEntrez Gene 2741 Human</u> <u>P23415</u>
Background:	The protein encoded by this gene is a subunit of a pentameric inhibitory glycine receptor. The receptor mediates postsynaptic inhibition in the central nervous system. Defects in this gene are a cause of startle disease (STHE), also known as hereditary hyperekplexia or congenital stiff-person syndrome. Two transcript variants encoding different isoforms have been found for this gene.
Synonyms:	HKPX1; STHE
Protein Families:	Druggable Genome, Ion Channels: Cys-loop Receptors, Transmembrane




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Protein Pathways:

Neuroactive ligand-receptor interaction

## **Product images:**



Gel: 10%SDS-PAGE Lysate: 40 µg Lane 1-2: Raji cells mouse brain tissue Primary antibody: [TA321077] (GLRA1 Antibody) at dilution 1/260 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 20 seconds

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US