

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA321131

Sodium Iodide Symporter (SLC5A5) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies	
Applications:	IHC, WB	
Recommended Dilution:	WB: 500-2000 WB positive control: LOVO cell lysate IHC: 40-200 Positive control: Human esophagus cancer Predicted cell location: Nucleus	
Reactivity:	Human	
Host:	Rabbit	
lsotype:	lgG	
Clonality:	Polyclonal	
Immunogen:	Synthetic peptide corresponding to a region derived from 1-14 amino acids of Human solute carrier family 5 (sodium iodide symporter), member 5	
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol	
Concentration:	lot specific	
Purification:	Antigen affinity purification	
Conjugation:	Unconjugated	
Storage:	Store at -20°C as received.	
Stability:	Stable for 12 months from date of receipt.	
Predicted Protein Size:	69 kDa	
Gene Name:	solute carrier family 5 member 5	
Database Link:	<u>NP_000444</u> <u>Entrez Gene 6528 Human</u> <u>Q92911</u>	




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


	Sodium lodide Symporter (SLC5A5) Rabbit Polyclonal Antibody – TA321131
Background:	This gene encodes a member of the sodium glucose cotransporter family. The encoded protein is responsible for the uptake of iodine in tissues such as the thyroid and lactating breast tissue. The iodine taken up by the thyroid is incorporated into the metabolic regulators triiodothyronine (T3) and tetraiodothyronine (T4). Mutations in this gene are associated with thyroid dyshormonogenesis 1.
Synonyms:	NIS' TDH1

Synonyms.	
Protein Families:	Druggable Genome, Transmembrane

Product images:




Gel: 8%SDS-PAGE Lysate: 40 µg Lane: LOVO cell lysate Primary antibody: TA321131 (SLC5A5 Antibody) at dilution 1/400 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 5 seconds



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA321131 (SLC5A5 Antibody) at dilution 1/45 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA321131 (SLC5A5 Antibody) at dilution 1/45, treated with synthetic peptide. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA321131 (SLC5A5 Antibody) at dilution 1/45 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA321131 (SLC5A5 Antibody) at dilution 1/45, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US